

## **Recordai Rare Diseases Patient Solutions Enrollment Form**

Complete the entire form and fax to 888-241-3572 Call us 8<sub>AM</sub>-8<sub>PM</sub> ET Monday-Friday at 833-223-2428

www.ENJAYM0.com

| PATIENT FIRST NAME  | LAST NAME                       | MIDDLE INITIAL  |  |  |
|---|---------------------------------|---|--|--|
| DATE OF BIRTH   | LAST 4 DIGITS OF SSN _          | MALE FEMALE OTHER   |  |  |
| STREET ADDRESS  |                                 | APT #   |  |  |
| CITY  | STATE                           | ZIP   |  |  |
| CELL PHONE ( )  | OTHER PHONE ( )                 | OK TO LEAVE A MESSAGE   |  |  |
| EMAIL ADDRESS   |                                 |   |  |  |
| CAREGIVER (IF APPLICABLE)   |                                 | PHONE ( )   |  |  |
| PATIENT'S PRIMARY LANGUAGE ☐ E  | NGLISH ☐ OTHER IF OTHER, PLE    | ASE SPECIFY   |  |  |
| HOUSEHOLD INCOME  |                                 |   |  |  |
| REQUIRED IF REQUESTING THE PATIE  | NT ASSISTANCE PROGRAM.          |   |  |  |
| NUMBER OF HOUSEHOLD MEMBERS   |                                 |   |  |  |
| (Including patient)   |                                 | after-tax wages, pension, interest/dividends, Social Security benefits, ources of income.)                |  |  |
| Please refer to Section 8, Patient Authoriza                              | •                               | of income is required for participation in the Recordati Rare   |  |  |
| information about the Recordati Rare Disea financial assistance programs. |                                 | tient Solutions Patient Assistance Program. Acceptable on includes a W-2, IRS-1040, or 2 recent paystubs. |  |  |
| INSURANCE INFORMATION   |                                 |   |  |  |
| PLEASE ATTACH COPIES (FRONT AND B   | ACK) OF ALL AVAILABLE INSURANCE | AND PRESCRIPTION CARDS.   NO INSURANCE  |  |  |
| PRIMARY MEDICAL INSURANCE NAME  | Ī                               |   |  |  |
| INSURANCE PHONE ( )   | POLICY ID                       | #   |  |  |
| GROUP # POLICYHOLDER NAME (FIRST/LAST)                                    |                                 |   |  |  |
| EMPLOYER OF POLICYHOLDER  | RELATIC                         | DNSHIP TO PATIENT   |  |  |
| PRESCRIPTION DRUG INSURANCE NA  | AME (IF DIFFERENT)              |   |  |  |
| INSURANCE PHONE ( )   |                                 |   |  |  |
| POLICY ID #   | GROUP # _                       | GROUP #   |  |  |
| RXBIN #   | RXPCN #                         |   |  |  |
| SECONDARY MEDICAL INSURANCE NA  | AME                             |   |  |  |
| INSURANCE PHONE ( )   | POLICY ID                       | POLICY ID #   |  |  |
| GROUP #   | POLICYHOLDER NAME (FIRST/LAST)  |   |  |  |

Prescriber, please complete page 2 and have patient read and sign page 3.





## **Recordati Rare Diseases Patient Solutions Enrollment Form**

Complete the entire form and fax to 888-241-3572 Call us 8<sub>AM</sub>-8<sub>PM</sub> ET Monday-Friday at 833-223-2428

www.ENJAYM0.com

|  | EdolkED/—Specialty pharmacy wi  | in need to conta   | ct the provider prior to dispensing  |  |  |  |
|--|---|--|--|--|--|--|
| PRESCRIBER NAME  | SCRIBER NAME PRESCRIBER FACILITY NAME   |  |  |  |  |  |
| OFFICE CONTACT NAME  |   |  |  |  |  |  |
|  | SPECIALTY OFFICE CONTACT EMAIL  |  |  |  |  |  |
|  |   |  | )  |  |  |  |
|  |   | •  | )  |  |  |  |
|  |   | ,  | CENSE  |  |  |  |
|  |   |  |  |  |  |  |
| INFUSION SITE LOCATION   |   |  |  |  |  |  |
| I HAVE NOT IDENTIFIED AN INFUSI  | ON SITE   | DATIENT'S HO   | ME (SEPARATE NURSING ORDERS WILL BE REQUESTED)   |  |  |  |
| IF INFUSION CENTER NAME IS KN  |   |  |  |  |  |  |
|  |   |  | PHONE ( )  |  |  |  |
|  |   |  | SUITE #  |  |  |  |
| CITY   |   |  | _ STATE ZIP  |  |  |  |
| CLINICAL INFORMATION   |   |  |  |  |  |  |
| DIAGNOSIS:   |   |  |  |  |  |  |
|  | WFIGHT:   | (□ka / □ lb  | ) DATE RECORDED  |  |  |  |
|  |   | (Ling , Line   | ) DATE RECORDED  |  |  |  |
| PRESCRIPTION INFORMATION   |   |  |  |  |  |  |
| PATIENT NAME (FIRST, MI, LAST)   |   | DATE OF BIR<br>(MM/DD/YY)  | RTH<br>(Y)   |  |  |  |
| MEDICATION: ENJAYMO (sutimlimab  | -jome) 1100 mg/22 mL (50 mg/mL)   | •  |  |  |  |  |
| DIDECTIO   | NO FOR HOE & OHANITITY  |  |  |  |  |  |
|  | NS FOR USE & QUANTITY   |  |  |  |  |  |
| 6.5g <b>STARTING DOSE:</b> Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials   | 6.5g <b>ONGOING DOSE:</b> Administer IV every 2 weeks Dispense #12 vials  |  | ENJAYMO is for intravenous infusion only. Do not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.   |  |  |  |
| 6.5g <b>STARTING DOSE:</b> Administer 6 vials IV weekly for the first 2 weeks  | 6.5g <b>ONGOING DOSE:</b> Administer IV every 2 weeks   |  | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For   |  |  |  |
| 6.5g STARTING DOSE: Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials  7.5g STARTING DOSE: Administer 7 vials IV weekly for the first 2 weeks  | 6.5g <b>ONGOING DOSE:</b> Administer IV every 2 weeks Dispense #12 vials 7.5g <b>ONGOING DOSE:</b> Administer IV every 2 weeks  |  | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg, the recommended dose is 6.5g and for  |  |  |  |
| ☐ 6.5g <b>STARTING DOSE</b> : Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials ☐ 7.5g <b>STARTING DOSE</b> : Administer 7 vials IV weekly for the first 2 weeks Dispense #14 vials  | 6.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #12 vials  7.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #14 vials  Refill: 12 months Other   | 7 vials  | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg,   |  |  |  |
| ☐ 6.5g STARTING DOSE: Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials ☐ 7.5g STARTING DOSE: Administer 7 vials IV weekly for the first 2 weeks Dispense #14 vials ☐ Refill: None ESTIMATED DATE OF FIRST INFUSION OF EN. SPECIAL INSTRUCTIONS FOR INFUSION SITE  | G.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #12 vials  7.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #14 vials  Refill: 12 months  Other  JAYMO  GOR PHARMACY   | 7 vials  | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg, the recommended dose is 6.5g and for patients weighing 75 kg or more, the recommended dose is 7.5g.   |  |  |  |
| G.5g STARTING DOSE: Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials  7.5g STARTING DOSE: Administer 7 vials IV weekly for the first 2 weeks Dispense #14 vials  Refill: None  ESTIMATED DATE OF FIRST INFUSION OF EN. SPECIAL INSTRUCTIONS FOR INFUSION SITE As the undersigned Prescriber, or the Prescriber's Einformation, the information on this form and any prepartners, vendors, and other agents ("Agents") for the I authorize the use and disclosure of the patient's their respective agents involved in the patient's tree operations as permitted by HIPAA. I agree that the pas needed relating to the patient's ENJAYMO theral   | G.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #12 vials  7.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #14 vials  Refill: 12 months Other  GOR PHARMACY Designated Agent, I certify that I have obtained the rescription to Recordati Rare Diseases, Inc. (toge the purpose of providing product support service ealth information contained on this form to the patternent ("Providers") and health plans/insurers and patient's Providers and Insurers may contact the py.  | the patient's authorizations and as otherwise per authoris other healthcar and their respective agents Prescriber or the Prescriber or the Prescriber.   | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg, the recommended dose is 6.5g and for patients weighing 75 kg or more, the recommended dose is 7.5g.  On to use and disclose the patient's personal health d affiliates, "Recordati") and its third-party business mitted by HIPAA ("the Programs").  The providers (including pharmacies and Recordati); the providers (including pharmacies and Recordati); the composition of the patient's Designated Agent for additional information   |  |  |  |
| G.5g STARTING DOSE: Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials  7.5g STARTING DOSE: Administer 7 vials IV weekly for the first 2 weeks Dispense #14 vials  Refill: None  ESTIMATED DATE OF FIRST INFUSION OF EN. SPECIAL INSTRUCTIONS FOR INFUSION SITE As the undersigned Prescriber, or the Prescriber's Dinformation, the information on this form and any prepartners, vendors, and other agents ("Agents") for the lauthorize the use and disclosure of the patient's hether respective agents involved in the patient's tree operations as permitted by HIPAA. I agree that the pas eneeded relating to the patient's ENJAYMO theral The undersigned certifies that: (1) the Prescriber has this patient; (3) if the undersigned is a "Designated Abehalf, in accordance with applicable law and medical contents."   | G.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #12 vials  7.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #14 vials  Refill: 12 months Other  JAYMO  GOR PHARMACY  Designated Agent, I certify that I have obtained to rescription to Recordati Rare Diseases, Inc. (toge the purpose of providing product support service ealth information contained on this form to the patient ("Providers") and health plans/insurers at patient's Providers and Insurers may contact the py.  s prescribed ENJAYMO for the identified patient agent," such person is duly authorized by the Prescal standards; and (4) the information provided of   | the patient's authorizatic ether with its parents and as otherwise per patient's other healthcar not their respective agener Prescriber or the Prescriber to sign this "Heal on this form is accurate"   | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg, the recommended dose is 6.5g and for patients weighing 75 kg or more, the recommended dose is 7.5g.  On to use and disclose the patient's personal health diaffiliates, "Recordati") and its third-party business mitted by HIPAA ("the Programs").  The providers (including pharmacies and Recordati); the ("Insurers") for treatment, payment and health care criber's Designated Agent for additional information determined that ENJAYMO is medically necessary for the Provider Authorization" on the Prescriber's to the best of their knowledge.  |  |  |  |
| G.5g STARTING DOSE: Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials  7.5g STARTING DOSE: Administer 7 vials IV weekly for the first 2 weeks Dispense #14 vials  Refill: None  ESTIMATED DATE OF FIRST INFUSION OF EN. SPECIAL INSTRUCTIONS FOR INFUSION SITE As the undersigned Prescriber, or the Prescriber's Dinformation, the information on this form and any prepartners, vendors, and other agents ("Agents") for the lauthorize the use and disclosure of the patient's their respective agents involved in the patient's tree operations as permitted by HIPAA. I agree that the pas needed relating to the patient's ENJAYMO theray The undersigned certifies that: (1) the Prescriber has this patient; (3) if the undersigned is a "Designated A behalf, in accordance with applicable law and medically understand that Recordati may revise, change, or is no longer medically necessary for this patient's trees.   | G.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #12 vials  7.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #14 vials  Refill: 12 months Other  GOR PHARMACY  Designated Agent, I certify that I have obtained the purpose of providing product support service ealth information contained on this form to the patment ("Providers") and health plans/insurers at patient's Providers and Insurers may contact the py.  s prescribed ENJAYMO for the identified patient (agent," such person is duly authorized by the Prescal standards; and (4) the information provided of terminate any program services at any time with reatment or if my patient's insurance status chan   | the patient's authorizatic either with its parents and as otherwise personatient's other healthcar and their respective agene Prescriber or the Prescriber to sign this "Heal on this form is accurate inout notice to me. I will nages.   | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg, the recommended dose is 6.5g and for patients weighing 75 kg or more, the recommended dose is 7.5g.  On to use and disclose the patient's personal health d affiliates, "Recordati") and its third-party business mitted by HIPAA ("the Programs").  The recommended dose is 7.5g.  The recommended dose is 7.5g.  The providers (including pharmacies and Recordati); ats ("Insurers") for treatment, payment and health care wriber's Designated Agent for additional information determined that ENJAYMO is medically necessary for the Provider Authorization" on the Prescriber's to the best of their knowledge.  |  |  |  |
| G.5g STARTING DOSE: Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials  7.5g STARTING DOSE: Administer 7 vials IV weekly for the first 2 weeks Dispense #14 vials  Refill: None  ESTIMATED DATE OF FIRST INFUSION OF EN. SPECIAL INSTRUCTIONS FOR INFUSION SITE As the undersigned Prescriber, or the Prescriber's Dinformation, the information on this form and any prepartners, vendors, and other agents ("Agents") for the lauthorize the use and disclosure of the patient's their respective agents involved in the patient's tree operations as permitted by HIPAA. I agree that the pas needed relating to the patient's ENJAYMO theray The undersigned certifies that: (1) the Prescriber has this patient; (3) if the undersigned is a "Designated A behalf, in accordance with applicable law and medically understand that Recordati may revise, change, or is no longer medically necessary for this patient's trees.   | G.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #12 vials  7.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #14 vials  Refill: 12 months Other  OR PHARMACY Designated Agent, I certify that I have obtained the rescription to Recordati Rare Diseases, Inc. (toge the purpose of providing product support service ealth information contained on this form to the atment ("Providers") and health plans/insurers are patient's Providers and Insurers may contact the py.  s prescribed ENJAYMO for the identified patient tagent," such person is duly authorized by the Precal standards; and (4) the information provided in terminate any program services at any time with reatment or if my patient's insurance status chants rescription requirements, such as e-prescribing,  | the patient's authorizatic either with its parents and as otherwise personatient's other healthcar and their respective agene Prescriber or the Prescriber to sign this "Heal on this form is accurate inout notice to me. I will nages.   | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg, the recommended dose is 6.5g and for patients weighing 75 kg or more, the recommended dose is 7.5g.  On to use and disclose the patient's personal health diaffiliates, "Recordati") and its third-party business mitted by HIPAA ("the Programs").  The providers (including pharmacies and Recordati); the ("Insurers") for treatment, payment and health care criber's Designated Agent for additional information determined that ENJAYMO is medically necessary for the Provider Authorization" on the Prescriber's to the best of their knowledge.  |  |  |  |
| G.5g STARTING DOSE: Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials  7.5g STARTING DOSE: Administer 7 vials IV weekly for the first 2 weeks Dispense #14 vials  Refill: None  ESTIMATED DATE OF FIRST INFUSION OF EN. SPECIAL INSTRUCTIONS FOR INFUSION SITE As the undersigned Prescriber, or the Prescriber's E information, the information on this form and any prantners, vendors, and other agents ("Agents") for the I authorize the use and disclosure of the patient's have their respective agents involved in the patient's treat operations as permitted by HIPAA. I agree that the pas needed relating to the patient's ENJAYMO theral The undersigned certifies that: (1) the Prescriber has this patient; (3) if the undersigned is a "Designated Abehalf, in accordance with applicable law and medical understand that Recordati may revise, change, or is no longer medically necessary for this patient's transcriber is to comply with state-specific prestate-specific requirements could result in outread "Dispense As Written"/Brand Medically Necessino Substitution/DAW/May Not Substitute | G.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #12 vials  7.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #14 vials  Refill: 12 months Other  Oesignated Agent, I certify that I have obtained the prescription to Recordati Rare Diseases, Inc. (toge the purpose of providing product support service ealth information contained on this form to the pattent ("Providers") and health plans/insurers at patient's Providers and Insurers may contact the py.  So prescribed ENJAYMO for the identified patient expent," such person is duly authorized by the Prescal standards; and (4) the information provided of terminate any program services at any time with reatment or if my patient's insurance status chan escription requirements, such as e-prescribing, ch to the prescriber.  May S                                       | the patient's authorization the patient's authorization and as otherwise personal their respective agent and their respective agent are prescriber or the Prescriber to sign this "Heal on this form is accurate in the prescriber to sign the securate and their respective agent as scriber to sign this "Heal on this form is accurate and their th | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg, the recommended dose is 6.5g and for patients weighing 75 kg or more, the recommended dose is 7.5g.  On to use and disclose the patient's personal health of affiliates, "Recordati") and its third-party business mitted by HIPAA ("the Programs").  The providers (including pharmacies and Recordati); this ("Insurers") for treatment, payment and health care triber's Designated Agent for additional information determined that ENJAYMO is medically necessary for the Provider Authorization" on the Prescriber's to the best of their knowledge.  The provider Authorization is medically if ENJAYMO is the provider Authorization is the Prescriber's to the best of their knowledge.  The provider Authorization is medically if ENJAYMO is medically precessary for the provider Authorization is the Prescriber's to the best of their knowledge.   |  |  |  |
| G.5g STARTING DOSE: Administer 6 vials IV weekly for the first 2 weeks Dispense #12 vials  7.5g STARTING DOSE: Administer 7 vials IV weekly for the first 2 weeks Dispense #14 vials  Refill: None  ESTIMATED DATE OF FIRST INFUSION OF EN. SPECIAL INSTRUCTIONS FOR INFUSION SITE As the undersigned Prescriber, or the Prescriber's Dinformation, the information on this form and any prepartners, vendors, and other agents ("Agents") for the lauthorize the use and disclosure of the patient's their respective agents involved in the patient's tree operations as permitted by HIPAA. I agree that the pas needed relating to the patient's ENJAYMO theral The undersigned certifies that: (1) the Prescriber has this patient; (3) if the undersigned is a "Designated Abehalf, in accordance with applicable law and medic I understand that Recordati may revise, change, or to so longer medically necessary for this patient's transcriber is to comply with state-specific prestate-specific requirements could result in outread "Dispense As Written"/Brand Medically Necessia"   | G.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #12 vials  7.5g ONGOING DOSE: Administer IV every 2 weeks Dispense #14 vials  Refill: 12 months Other  GOR PHARMACY  Designated Agent, I certify that I have obtained the purpose of providing product support service ealth information contained on this form to the patment ("Providers") and health plans/insurers at patient's Providers and Insurers may contact the py.  Seprescribed ENJAYMO for the identified patient agent," such person is duly authorized by the Precal standards; and (4) the information provided of terminate any program services at any time with reatment or if my patient's insurance status chan escription requirements, such as e-prescribing, ch to the prescriber.  The control of the prescriber in the prescriber in the prescriber.  May S  Date: Prescri | the patient's authorizatic ether with its parents and as otherwise perioatient's other healthcar nd their respective agene Prescriber or the Prescriber to sign this "Heal on this form is accurate in out notice to me. I will mages.  state-specific prescriptions in the state-specific prescription in the | not administer as an intravenous push or bolus. The infusion should be administered over 1 to 2 hours depending on the patient's body weight.  The recommended dosage of ENJAYMO for patients is based on body weight. For patients weighing 39 kg to less than 75 kg, the recommended dose is 6.5g and for patients weighing 75 kg or more, the recommended dose is 7.5g.  On to use and disclose the patient's personal health d affiliates, "Recordati") and its third-party business mitted by HIPAA ("the Programs").  The providers (including pharmacies and Recordati); and its third-party business mitted by HIPAA ("the Programs").  The providers (including pharmacies and Recordati); and its third-party business mitted by HIPAA ("the Programs").  The providers (including pharmacies and Recordati); and the provider Agent for additional information and the provider Authorization on the Prescriber's to the best of their knowledge.  The provider Authorization on the Prescriber's to the best of their knowledge.  The provider Authorization on the Prescriber's to the best of their knowledge.  The provider Authorization on the Prescriber's to the best of their knowledge.  The provider Authorization on the Prescriber's to the best of their knowledge.  The provider Authorization of the Prescriber's to the best of their knowledge.  The provider Authorization of the Prescriber's to the best of their knowledge.  The provider Authorization of the Prescriber's to the best of their knowledge. |  |  |  |





## Recordati Rare Diseases Patient Solutions Enrollment Form

Complete the entire form and fax to 888-241-3572 Call us 8<sub>AM</sub>-8<sub>PM</sub> ET Monday-Friday at 833-223-2428

www.ENJAYMO.com

Patient: Please read the following carefully, then date and sign where indicated.

8

## **AUTHORIZATION FOR RELEASE AND USE OF HEALTH INFORMATION**

I hereby authorize and direct my health care providers and their staff (including pharmacies that fill my prescriptions), and my health insurer(s) and their staff (collectively, the "Treating Parties") to disclose to Recordati Rare Diseases, Inc. including its parents, affiliates, and its third party business partners and other agents (collectively, "Recordati") information about my disease, treatment, insurance coverage, and payment for my therapy (together with the information I have provided on this Enrollment Form and may provide in the future, "my Information") for the purposes of (1) my ENJAYMO treatment by the Treating Parties and (2) Recordati providing me with patient support services in connection with my ENJAYMO therapy or otherwise sending me communications that I have agreed to receive elsewhere in this Enrollment Form.

I authorize the Treating Parties and Recordati to use and disclose my Information for the purposes permitted by HIPAA and for providing certain support services I agree to in this Enrollment Form, including, but not limited to: (1) operating and enrolling me in, and/or continuing my participation in the Recordati Rare Diseases Patient Solutions Program ("the Program") or any other Recordati-affiliated patient support services and activities related to my condition or treatment; (2) verifying, investigating and coordinating my health insurance coverage or resolving coverage or reimbursement inquiries and payment for Recordati products; (3) coordinating my receipt of and payment for Recordati products; and (4) contacting me for follow-up on any adverse event I may disclose regarding a Recordati product. I further authorize Recordati to de-identify my health information and use it in performing research, education, business analytics, and marketing studies, or for other commercial purposes, including linkage with other de-identified information Recordati may receive from other sources.

I understand that once my Information has been disclosed to Recordati, federal privacy laws may no longer protect the Information. However, Recordati intends to use and disclose my Information only in accordance with this Authorization or as otherwise permitted by law.

Further information regarding Recordati's privacy practices can be found at <a href="https://www.recordatirarediseases.com/us/privacy-policy">https://www.recordatirarediseases.com/us/privacy-policy</a>. If you are a resident of California, a description of the personal information collected by Recordati and your rights under the California Consumer Privacy Act can also be found at this link.

I understand that I may refuse to sign this Authorization and that a refusal to sign will not affect my ability to obtain medical care, insurance coverage, or access to health benefits, including access to therapy. However, if I do not sign this Authorization, Recordati cannot provide me with support services.

This Authorization will remain valid until termination of enrollment in Recordati-sponsored patient support programs and activities, including the Recordati Programs, unless a shorter time is required by state law. I understand that I may revoke this Authorization at any time by sending a written notice that includes my name, address, and phone number, to Recordati, ATTN: RRD Patient Services 440 Rte 22 Suite 205 Bridgewater, NJ 08807 or by emailing <a href="mailto:RRDPatientSolutions@recordati.com">RRDPatientSolutions@recordati.com</a>. I understand that should I revoke this Authorization, I can no longer participate in the Programs and that such revocation will not impact uses and disclosures of my Information that have already occurred in reliance on this Authorization.

I certify that I have read and understand the Authorization for the Release and Use of Health Information, all the information provided is true and correct, and I agree to its terms. If I am the caregiver for the patient, I confirm I am authorized to sign on behalf of the patient.

| PATIENT AUTHORIZATION REQUIRED:                      |   |
|--|---|
| ☐ I have read and agree to the Patient Authorization | ion to Use and Disclose Health Information included in Section 8. |
| PATIENT  |   |
| PATIENT SIGNATURE                                    | DATE  |
| Patient signature/Legal representative               |   |
| Printed name if signed by legal representative       |   |

